

EAST Search History

10/736,452

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("(dataadjstream\$1)and(virtualadjfile)and(containeradjfile)and@ad<20031214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 12:56
L2	2	(data adj stream\$1) and (virtual adj file) and (container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L3	9	(data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L4	4	"20020170074" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L5	0	707/104.1.ccls. and (data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L6	4	707/104.1.ccls. and (data adj stream\$1) and (virtual with file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L7	416	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L8	60	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L9	4	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans\$4 with files) and container and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

EAST Search History

L10	4	"20050132417" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L11	6	((data adj block) with (data adj stream)) same (over\$1writ\$4 or "in place of" or replac\$4) and file and buffer and memory and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L12	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L13	2	"20050132417" or "6301605".pn. and "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L14	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L15	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L16	7	"20050132417" or "20040193648" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L17	16	((media adj content) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L18	1	((media adj contents) with receiv\$4 with creat\$4 with files) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L19	16	((media adj contents) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

EAST Search History

L20	4	"20030110504" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L21	266	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L22	266	709/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L23	27	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L24	20	"725"/89.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L25	26	"711"/154.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L26	1	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214" and (jitter\$3 or disjoin\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L27	55	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L28	0	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams with buffer) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

EAST Search History

L29	75	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L30	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L31	4	"20030110504" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L32	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L33	124	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L34	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L35	7	"20050132417" or "20040193648" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L36	16	((media adj content) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L37	4	707/104.1.ccls. and (data adj stream\$1) and (virtual with file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L38	9	(data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

EAST Search History

L39	2	"20050132417" or "6301605".pn. and "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L40	1	((media adj contents) with receiv\$4 with creat\$4 with files) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L41	16	((media adj contents) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L42	4	"20030110504" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L43	266	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L44	266	709/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L45	27	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L46	20	"725"/89.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L47	26	"711"/154.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

EAST Search History

L48	1	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214" and (jitter\$3 or disjoint\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L49	55	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L50	0	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams with buffer) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L51	75	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L52	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L53	4	"20030110504" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L54	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L55	0	707/104.1.ccls. and (data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L56	0	("(dataadjstream\$1)and(virtualadjfile)and(containeradjfile)and@ad<20031214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/15 12:56

EAST Search History

L57	416	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L58	60	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L59	4	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans\$4 with files) and container and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L60	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L61	4	"20050132417" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L62	6	((data adj block) with (data adj stream)) same (over\$1writ\$4 or "in place of" or replac\$4) and file and buffer and memory and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L63	4	"20020170074" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L64	2	(data adj stream\$1) and (virtual adj file) and (container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L65	385	(container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
L66	0	((allocat\$4 or determin\$4) near3 size) with (container adj file)) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56

EAST Search History

L67	1	((allocat\$4 or determin\$4) with size) with (container adj file)) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:56
S1	0	("(dataadjstream\$1)and(virtualadjfile)and(containeradjfile)and@ad<20031214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/08 08:08
S2	2	(data adj stream\$1) and (virtual adj file) and (container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 18:24
S3	9	(data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/08 08:16
S4	4	"20020170074" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 10:41
S5	0	707/104.1.ccls. and (data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/08 08:17
S6	4	707/104.1.ccls. and (data adj stream\$1) and (virtual with file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/08 08:49
S7	253	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:48
S8	43	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:49
S9	3	"707"/\$.ccls. and (((content or data) adj stream\$1) with trans\$4 with files) and container and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/08 08:52

EAST Search History

S10	4	"20050132417" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 13:17
S11	6	((data adj block) with (data adj stream)) same (over\$1writ\$4 or "in place of" or replac\$4) and file and buffer and memory and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 12:00
S12	46	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 12:18
S13	2	"20050132417" or "6301605".pn. and "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 13:16
S14	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 13:16
S15	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 13:18
S16	6	"20050132417" or "20040193648" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 11:26
S17	15	((media adj content) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/09 13:24
S18	15	((media adj contents) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 12:54
S19	1	((media adj contents) with receiv\$4 with creat\$4 with files) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 11:59

EAST Search History

S20	4	"20030110504" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 11:26
S21	232	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:49
S22	232	709/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:48
S23	26	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:49
S24	17	"725"/89.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:50
S25	22	"711"/154.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 17:50
S26	4	"20030110504" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 11:56
S27	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:00
S28	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:00
S29	68	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:03

EAST Search History

S30	0	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams with buffer) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:03
S31	52	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:06
S32	1	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214" and (jitter\$3 or disjoin\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 12:05
S33	0	("(dataadjstream\$1)and(virtualadjfile)and(containeradjfile)and@ad<20031214").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/16 12:24
S34	2	(data adj stream\$1) and (virtual adj file) and (container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S35	9	(data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S36	4	"20020170074" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S37	0	707/104.1.ccls. and (data adj stream\$1) and (virtual adj file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S38	4	707/104.1.ccls. and (data adj stream\$1) and (virtual with file) and (container same file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24

EAST Search History

S39	272	"707"/\$.ccis. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S40	46	"707"/\$.ccis. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S41	4	"707"/\$.ccis. and (((content or data) adj stream\$1) with trans\$4 with files) and container and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S42	4	"20050132417" or "6301605".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S43	6	((data adj block) with (data adj stream)) same (over\$1writ\$4 or "in place of" or replac\$4) and file and buffer and memory and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S44	96	kuen.xa. and lu.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S45	2	"20050132417" or "6301605".pn. and "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S46	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S47	6	"20050132417" or "6301605".pn. or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S48	6	"20050132417" or "20040193648" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24

EAST Search History

S49	15	((media adj content) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S50	1	((media adj contents) with receiv\$4 with creat\$4 with files) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S51	15	((media adj contents) with receiv\$4 with creat\$4 with files) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S52	4	"20030110504" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S53	249	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S54	249	709/231.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S55	26	"709"/231.ccls. and (((content or data) adj stream\$1) with trans\$4 with file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S56	20	"725"/89.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S57	25	"711"/154.ccls. and (((content or data) adj stream\$1) with trans\$4) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24

EAST Search History

S58	1	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214" and (jitter\$3 or disjoin\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S59	52	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and buffer and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S60	0	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams with buffer) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S61	68	((media adj content) with receiv\$4) and ((media adj content) with consum\$6) and ((data or content) adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S62	0	((media adj contents) with receiv\$4 with comsum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S63	4	"20030110504" or "6205525".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S64	0	((media adj contents) with receiv\$4 with consum\$6) same (data adj streams) and @ad < "20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/16 12:24
S65	385	(container adj file) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:25
S66	0	((allocat\$4 or determin\$4) near3 size) with (container adj file)) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/15 11:26

EAST Search History

S67	1	((allocat\$4 or determin\$4) with size) with (container adj file)) and @ad<"20031214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	.OR	ON	2007/12/15 11:26
-----	---	---	---	-----	----	------------------